

H 94331 Büsscher SOUNDPROOF

Product	Recycled rubber granule membrane, polyurethan-binded	
Colour	black / coloured spots	
Surface	Granulated	
Intended use	Protection against mechanical damages of high grade waterproofing (flat- and green roof, terraces, parking decks, bridges and trafficed areas, horticulture and landscape gardening, etc.)	
Packaging	11 rolls of 10 x 1,25 m = 137,5 m ² perpallet (12,5 m ² per roll)	
Characteristics	Mass per unit Thickness Width Length Tensile force Elongation at break Reaction to fire test Thermal resistance Traffic load	ca. 780 kg/m³ 8 mm (± 0,3 mm) 1.250 mm (± 1,5 %) 8,0 m (± 1,5%) app. 0,3 N/mm² (EN ISO 1798) app. 30% (EN ISO 1798) Efl (B2) (DIN EN 13501-1) -30° bis 80° C app. 17 t/m² at 10% compression app. 47 t/m² at 20% compression following to DIN EN ISO 3386-3

The declared data are indices based on the statistical quality control and refer to the date of production. Consider state of the art, standards, legal provisions and guidelines for the suitability of the mentioned field of application and application method. All specifications are without obligation. The user must assess the suitability of the product for the particular purpose and ensure the user's access to the current version of the product data sheet.

Subject to alteration without notice.

Storage conditions: The products have to be stored in original packaging, being protected from direct sun light, UV-beams and extreme conditions like heat, frost, moisture, etc. During cold season store the products in a frost-free area (+5°C) for 12 hours before application.

Development, Production and Sales of our products according to ISO 9001.